

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT & COMPANY IDENTIFICATION

**Product:** Pumice

**Supplier:** Ecoflores  
 ul. Waksmundzka 34  
 34-400 Nowy Targ  
 Poland  
 T: +48-604-508-229  
 kontakt@ecoflores.eu  
 www.ecoflores.eu

### 2. PRODUCT DESCRIPTION

Complex natural silicate, consisting mainly of amorphous silica (SiO<sub>2</sub>) but also containing minor quantities of various metallic oxides.

### 3. CHEMICAL ANALYSIS

Constituent	Name	% Occurence
SiO <sub>2</sub>	Silicon Dioxide	74.55
Al <sub>2</sub> O <sub>3</sub>	Aluminium Oxide	12.45
K <sub>2</sub> O	Potassium Oxide	4.50
Na <sub>2</sub> O	Sodium Oxide	4.00
Fe <sub>2</sub> O <sub>3</sub>	Ferric Oxide	<2.00
CaO	Calcium Oxide	<2.00
MgO	Magnesium Oxide	<2.00
TiO <sub>2</sub>	Titanium Oxide	<2.00
SO <sub>3</sub>	Sulphur Trioxide	0.20
MnO	Manganese Oxide	0.10
CO <sub>2</sub>	Carbon Dioxide	0.10
FeO	Ferrous Oxide	0.06
P <sub>2</sub> O <sub>5</sub>	Phosphorous Pent	0.005
H <sub>2</sub> O+	Combined Water	4.35

This media contains no free silica.

### 4. HANDLING PRECAUTIONS

No hazard has been brought to our attention as a result of the normal industrial use of this product. As with any finely divided inert material, steps should be taken to avoid inhalation of dust. Pumice consists of amorphous silica and does not contain quartz in allotropic crystalline forms such as Cristobalite, Tridymite etc. It is, however, recommended to adhere to the T.L.V. specified by the A.C.G.I.H. and as listed for "Nuisance Particulates" in H.S.E. guidance note EH40.

<p><b>5. FIRST AID</b></p>	<p>For eyes - wash out thoroughly with water to remove all dust particles.</p>																												
<p><b>6. SPILLAGE</b></p>	<p>Sweep up into another container for disposal as inert solid waste.</p>																												
<p><b>7. FIRE</b></p>	<p>Not Applicable.</p>																												
<p><b>8. STORAGE &amp; HANDLING</b></p>	<p>Store in dry place, handle carefully to avoid raising high concentration of dust in the work area.</p>																												
<p><b>9. PROTECTIVE DEVICES</b></p>	<p>Eye wash bottle with clean water. Suitable dust mask if exposed to high dust concentration's. If persistent consider local extraction / ventilation systems to keep concentration in air below 10mg cubic metre- the threshold limit value listed for "Nuisance Particulates" in Health &amp; Safety. Executives Guidance Note EH40 (but not specifically listing Pumice Powder).</p>																												
<p><b>10. PHYSICAL ANALYSIS</b></p>	<table border="0"> <tr> <td>Appearance</td> <td>Solid</td> </tr> <tr> <td>Colour</td> <td>Grey</td> </tr> <tr> <td>Odour</td> <td>Odourless</td> </tr> <tr> <td>Melting Point</td> <td>1200<sup>oc</sup></td> </tr> <tr> <td>True Density</td> <td>2.40 g/cm<sup>3</sup></td> </tr> <tr> <td>Bulk Density</td> <td>0.41 - 0.76 g/cm<sup>3</sup></td> </tr> <tr> <td>Viscosity</td> <td>Not Applicable</td> </tr> <tr> <td>Solubility in water</td> <td>Insoluble in water</td> </tr> <tr> <td>PH Value</td> <td>7.5 - 8.0</td> </tr> <tr> <td>Flash Point</td> <td>Not Applicable</td> </tr> <tr> <td>Ignition Point</td> <td>Not Applicable</td> </tr> <tr> <td>Explosive Limit</td> <td>Not Applicable</td> </tr> <tr> <td>Refractive Index</td> <td>1.5</td> </tr> <tr> <td>Hardness</td> <td>5.5 (mohs)</td> </tr> </table>	Appearance	Solid	Colour	Grey	Odour	Odourless	Melting Point	1200 <sup>oc</sup>	True Density	2.40 g/cm <sup>3</sup>	Bulk Density	0.41 - 0.76 g/cm <sup>3</sup>	Viscosity	Not Applicable	Solubility in water	Insoluble in water	PH Value	7.5 - 8.0	Flash Point	Not Applicable	Ignition Point	Not Applicable	Explosive Limit	Not Applicable	Refractive Index	1.5	Hardness	5.5 (mohs)
Appearance	Solid																												
Colour	Grey																												
Odour	Odourless																												
Melting Point	1200 <sup>oc</sup>																												
True Density	2.40 g/cm <sup>3</sup>																												
Bulk Density	0.41 - 0.76 g/cm <sup>3</sup>																												
Viscosity	Not Applicable																												
Solubility in water	Insoluble in water																												
PH Value	7.5 - 8.0																												
Flash Point	Not Applicable																												
Ignition Point	Not Applicable																												
Explosive Limit	Not Applicable																												
Refractive Index	1.5																												
Hardness	5.5 (mohs)																												
<p><b>11. STABILITY &amp; REACTIVITY</b></p>	<p>Pumice is an inert mineral, insoluble in water, alkalis and acids (other than Hydroflouric acids).</p>																												
<p><b>12. TOXICOLOGICAL EFFECTS</b></p>	<p>Non - toxic. Does not cause allergic or narcotic reaction. Lead &amp; asbestos totally absent.</p>																												
<p><b>13. ENVIRONMENT PROTECTION</b></p>	<p>Natural, inert material. Is not a pollutant.</p>																												
<p><b>14. WASTE DISPOSAL</b></p>	<p>As inert solid waste.</p>																												

---

**15. TRANSPORTATION**

The transportation of Pumice is not classified as hazardous. The product is packed in polypropylene sacks with an internal polythene lining and machine sealed. Alternatively packed in paper valve sacks.

**16. LEGISLATION**

CAS N. 1332-09-8  
EH40 - Occupational Exposure Limits  
EH44 - Dust: General Principles of Protection  
No relevant EINECS No. due to EU legislation 79/831, 6<sup>th</sup> amendment 67/548/EEC included in heading "substances recurrent in nature".

**REVISED**

**2018**